

Flexy Dual Shore – 2.5 Bellows




Vacuum Cup Properties

Material	Color	Temp. Range	Shore Hardness
Polyurethane	Dark Blue / Blue	5°– 50°C	30° / 60°Shore



2.5 Bellow Standard Cups

- Our 2.5 family you will find in the sizes from Ø 15 mm to Ø 70 mm .
- Our CombiFlex cups you will find in standard hardness 30/60 shore A and 60 shore A. The two hardness cup 30/60 shore has a bellow in 60 shore and a lip in 30 shore, which makes the cup stable and durable with excellent sealing properties.
- Our **"CombiFlex"** material is **developed** to meet all the characteristics that is required for a high performance vacuum cup. Normally our polyurethane vacuum cups will last 3-4 times longer than the cups made of rubber or other vulcanized or polymerized materials. This means less "down time" but more "turn over" with increased productivity. Their key characteristics are good resilience or flexibility, high tensile strength with high wear and tear resistance. Comparing to other famous brand names, our product quality is comparable or even better. In general we are also able to keep a much more competitive price.
- The 2.5 family is good for use on specially curved and uneven surfaces. The double bellows suction cup is very good at compensating for a degree of difference in level and curvatures of a workpiece.








Flexy Standard Cups 2.5 Bellows Family

Order Information

Picture	Article No.	Description	Hardness Shore A	Color	Insert / Fitting	Pcs. / Box	Dimension in mm
	25010-01	Flexy 25-10	30/60	L/D - Blue	15015-20 (M5,O-Ring)	25	 25-10
	25010-06		60	D - Blue			
	25015-01	Flexy 25-15	30/60	L/D - Blue			 25-15
	25015-06		60	D - Blue			
	25020-01	Flexy 25-20	30/60	L/D - Blue	25020-20 (G1/8" - M) 25020-21 (G1/8" - F)	50	 25-20
	25020-06		60	D - Blue			
	25025-01	Flexy 25-25	30/60	L/D - Blue			 25-25
	25025-06		60	D - Blue			
	25030-01	Flexy 25-30	30/60	L/D - Blue			 25-30
	25030-06		60	D - Blue			
	25035-01	Flexy 25-35	30/60	L/D - Blue	25040-20 (G1/4" - M) 25040-21 (G1/4" - F)	30	 25-35
	25035-06		60	D - Blue			
	25040-01	Flexy 25-40	30/60	L/D - Blue			 25-40
	25040-06		60	D - Blue			
	25050-01	Flexy 25-50	30/60	L/D - Blue	25050-20 (G3/8" - M) 25050-21 (G3/8" - F) 25050-22 (G1/4" - M) 25050-23 (G1/4" - F)	18	 25-50
	25050-06		60	D - Blue			
	25052-01	Flexy 25-52	30/60	L/D - Blue			 25-52
	25052-06		60	D - Blue			

Order Information

Picture	Article No.	Description	Hardness Shore A	Color	Insert / Fitting	Pcs. / Box	Dimension in mm
	25070-01	Flexy 25-70	30/60	L/D - Blue	G3/8" - M	10	 25-70 F
	25070-02				3/8" NPFS - F		
	25070-03				G3/8" - F		
	25070-35				G3/8" - M - 1/8" NPFS - F		
	25070-11		60	D - Blue	G3/8" - M		 25-70 M
	25070-12				3/8" NPFS - F		
	25070-13				G3/8" - F		
	25075-01	Flexy 25-75	30/60	L/D - Blue	G3/8" - M		 25-75 F
	25075-02				3/8" NPFS - F		
	25075-03				G3/8" - F		
	25075-35				G3/8" - M - 1/8" NPFS - F		
	25075-11		60	D - Blue	G3/8" - M		 25-75 M
	25075-12				3/8" NPFS - F		
	25075-13				G3/8" - F		

Application Picture



Flexy 25 series dual shore for packaging industry



Flexy 25 series dual shore for plastic mold industry